

INDEX MAPS.

T. 4N, R. 5E. 2nd Mer.

	320	320	319-320	319-321	319-321	319-321						
328	6	347	5	340	4	336	3	332	2	327	1	319
	346		346		340		335		331		327	
328	7	345	8	340	9	335	10	331	11	326	12	318
	345		345		339		335		330		326	
320	18	344	17	339	16	334	15	330	14	326	13	318
	344		343		338		334		330		325	
322	19	343	20	338	21	334	22	329	23	325	24	318
	343		342		338		333		329		325	
322	30	342	29	337	28	333	27	329	26	324	25	317
	342		341		337		333		328		324	
321	31	341	32	336	33	332	34	328	35	323	36	317
	315		315-316		315-316		315-316		315-316		315-317	

T. 5N, R. 5E. 2nd Mer.

	355	354	354	354	353	353						
357	6	379	5	373	4	369	3	365	2	361	1	353
	378		378		372		368		364		361	
356	7	378	8	372	9	368	10	364	11	360	12	352
	377		377		371		367		364		360	
356	18	379	17	371	16	367	15	363	14	359	13	352
	376		376		371		367		363		359	
356	19	376	20	370	21	366	22	362	23	357	24	352
	375		374		370		366		362		358	
355	30	374	29	370	28	366	27	362	26	358	25	351
	373		374		369		365		362		358	
355	31	373	32	369	33	365	34	361	35	357	36	351
	349-350		349-351									

☞ The figures on the lines refer to the page.

349

Township N. 5 North, Range N. 5 East 2. Mer. Indiana

South Boundary

Nest 1st Mile On Rand^m. betwⁿ. Towns 4 & 5 N. R 5 E

21.00 a Brook 20 lks. wide Course South

40.00 Set temp^y. q. Sec. post

80.00 Set temp^y. Mile post

Good farming land, timber Oak, Hick^y & Beech

Nest 2nd Mile On Rand^m. between Towns 4 & 5 N. R 5 E

40.00 Set temp^y half Mile post

80.00 Set temp^y Mile post

Sand timber &c. Same as on the last mile

Nest 3rd Mile On Rand^m. betwⁿ. Towns 4 & 5 S. R 5 E.

40.00 Set temp^y. half Mile post

80.00 Set temp^y Mile post

Sand timber &c. Same as on the last mile

Nest 4th Mile On Rand^m. between Towns 4 & 5 S. R 5 E.

40.00 Set temp^y. half Mile post

75.50 a Brook 20 lks. wide Course South

80.00 Set temp^y. Mile post

Sand level, timber Beech, Oak & Hickory

Nest 5th Mile On Rand^m. between Towns 4 & 5 S. R 5 E.

40.00 Set temp^y. half Mile post

80.00 Set temp^y. Mile post

Sand timber &c. Same as on the last mile

Nest 6th Mile On Rand^m. betwⁿ. Towns 4 & 5 S. R 5 E

40.00 Set temp^y. half Mile post

84.50 Intersected the N & S. line 700 lks. S. of Town

Corner. Sand &c. Same as on the last mile

T5N R5E, 2nd Mer. Indiana

- East On true line S. boundary of Sec. 31
- 44.50 Set the gr. Sec. post on true line from which
 a Beech 20 in. dia. bear N52⁴/₁₆W 3¹/₂ lbs. dist. of
 a Do 8 " " " N19⁴/₁₆W 25 " "
- 84.50 Set a post Cor. to Sec. 31 & 32, T5N, R5E, from which
 a Beech 10 in. dia. bear N60E 4 lbs. dist. of
 a Do 20 " " " East 16 " "
-

- East On true line S. boundary of Sec. 32
- 40.00 Set the gr. Sec. post on true line from which
 a Sassafras 8 in. dia. bear N14⁴/₁₆W 17 lbs. dist. of
 a Poplar 20 " " " N10⁴/₁₆W 8 " "
- 80.00 Set a post Cor. to Sec. 32 & 33, T5N, R5E, from which
 a Hickory 24 in. dia. bear N36E 4 lbs. dist. of
 a Do 10 " " " N10E 18 " "
-

- East On true line S. boundary of Sec. 33
- 40.00 Set the gr. Sec. post on true line from which
 a Hickory 16 in. dia. bear N63E 15 lbs. dist. of
 a Beech 8 " " " N55⁴/₁₆W 16 " "
- 80.00 Set a post Cor. to Sec. 33 & 34, T5N, R5E, from which
 a Beech 24 in. dia. bear S44E 5 lbs. dist. of
 a Do. 20 " " " N74⁴/₁₆W 33 " "
-

- East On true line S. boundary of Sec. 34
- 40.00 Set the gr. Sec. post on true line from which
 a Beech 24 in. dia. bear S54⁴/₁₆W 21 lbs. dist. of
 a Do. 8 " " " N60E 11 " "
- 80.00 Set a post Cor. to Sec. 34 & 35, T5N, R5E, from which
 a Hickory 8 in. dia. bear S59¹/₂E 10 lbs. dist. of
 a Maple 8 " " " N59¹/₂W 16 " "
-

- East On true line S. boundary of Sec. 35

T5 N. R5 E. 2^d Mer. Indiana

- 40.00 Set the q^r. Sec. post on true line from which
 a Beech 10 in. dia. bear N10 E 16 lks. dist. of
 a do. 12 " " " N40 W 21 " "
- 80.00 Set a post Cor. to Sec. 35 of 36, T5 N. R5 E. from which
 a Gum 20 in. dia. bear N50 W 25 lks. dist. of
 a Beech 20 " " " S75 E 34 " "

- East On true line S. boundary of Sec. 36
- 40.00 Set the q^r. Sec. post on true line from which
 an Elm 20 in. dia. bear S45 E 12 lks. dist. of
 a Hickory 10 " " " S62 W 17 " "
- 80.00 to Township Corner
 October 1806.

East Boundary

- North On E. boundary of Sec. 36, T5 N. R5 E
- 38.00 a Sugar tree 10 in. dia.
- 40.00 Set the q^r. Sec. post, from which
 a Sugar 20 in. dia. bear N88 W 9 lks. dist. of
 a Beech 8 " " " S25 E 23 " "
- 67.40 a Beech 8 " "
- 80.00 Set a post Cor. to Sec. 25 of 36, from which
 a Sugar 15 in. dia. bear N69 E 4 lks. dist. of
 a Poplar 50 " " " S69 W 2 " "
- This mile over good farming land timber
 Beech, Oak & Hickory

- North On E. boundary of Sec. 25, T5 N. R5 E.
- 19.50 a Beech 20 in. dia.
- 40.00 Set the q^r. Sec. post, from which
 a Beech 28 in. dia. bear S23 E 20 lks. dist. of
 a do 10 " " " N23 W 8 " "
- 80.00 Set a post Cor. to Sec. 24 of 25, from which

T5N R5E, 2^d Mer. Indiana

a Poplar 24 in. dia. beam S5E 50 lns. dist. of
 a Beech 8 " " " N50W 13 " "
 Sand timber &c. same as on the last mile

North On E. boundary of Sec. 24, T5N, R5E.
 40.00 Let the q^r. Sec. post, from which
 a Beech 20 in. dia. beam S59W 38 lns. dist. of
 a Do. 6 " " " N19E 6 " "
 80.00 Let a post Cor. to Sec. 13 of 24, from which
 a Beech 10 in. dia. beam S4E 19 lns. dist. of
 a Do. 7 " " " N73W 28 " "
 This mile low level land timber Beech
 under ^{to} Spruce wood

North On E. boundary of Sec. 13, T5N, R5E.
 30.00 a Beech 20 in. dia.
 40.00 Let the q^r. Sec. post, from which
 a Beech 6 in. dia. beam S73E 11 lns. dist. of
 additional 7 " " " N52W 5 " "
 70.00 a Spring Course West
 80.00 Let a post Cor. to Sec. 12 of 13, from which
 a Beech 10 in. dia. beam S12W 12 lns. dist. of
 a Do. 20 " " " N61W 11 " "
 Sand timber &c. same as on the last mile

North On E. boundary of Sec. 12, T5N, R5E.
 28.80 a Beech 28 in. dia.
 40.00 Let the q^r. Sec. post, from which
 a Poplar 40 in. dia. beam S20W 17 lns. dist. of
 a Beech 10 " " " N20E 22 " "
 50.40 a W. Ash 20 " "
 80.00 Let a post Cor. to Sec. 1 of 12, T5N, R5E, from which
 a W. Oak 20 in. dia. beam S19W 50 lns. dist. of

S5 N. R5 E. T^h. Mer. Indiana

a W. Oak 20 in. dia. beam N 74 — 27 lbs. dist.
Sand timber &c. same as on the last mile

North On E. boundary of Sec. 1, S5 N, R5 E

6.30 a W. Oak 20 in. dia.

40.00 At the q. Sec. post, from which

a Gum 30 in. dia. beam N 44 W 4 lbs. dist. &

a W. Oak 10 " " " N 12 E 8 " "

80.00 At a post Cor. to Townships N^o 5 & 6 North, Range
N^o 5 & 6 East, from which

a W. Oak 10 in. dia. beam S 48 W 2 lbs. dist. &

a Beech 24 " " " N 25 E 14 " "

Sand timber &c. same as on the last mile

North Boundary var. 6° 30' E.

West On S. boundary of Sec. 36, S6 N, R5 E.

40.00 At the q. Sec. post, from which

a Sweet Gum 10 in. dia. beam N 54 E 12 lbs. dist. &

a Do. 10 " " " N 13 E 16 " "

80.00 At a post Cor. to Sec. 35 & 36, S6 N, R5 E, from which

a Poplar 10 in. dia. beam N 75 E 25 lbs. dist. &

an Ironwood 5 " " " S 17 E 12 1/2 " "

Flat Beech timbered land

West On S. boundary of Sec. 35, S6 N, R5 E.

34.50 a Poplar 29 in. dia.

40.00 At the q. Sec. post, from which

a Beech 10 in. dia. beam N 53 W 3 lbs. dist. &

a Do. 20 " " " S 3 W 14 1/2 " "

80.00 At a post Cor. to Sec. 34 & 35, S6 N, R5 E, from which

a Hickory 12 in. dia. beam N 80 E 18 lbs. dist. &

a Do. 8 " " " S 62 W 25 " "

Sand timber &c. same as on the last mile

T. N. R. 5 E. 2. Mer. Indiana

Nest On S. boundary of Sec. 34, T. 6 N. R. 5 E
 40.00 Set the q. Sec. post, from which
 a Gum 10 in. dia. bear S 48 E 5 lks. dist. of
 a Beech 15 " " " N 52 E 32 " "
 44.50 a Brook 10 lks. wide Course N.
 80.00 Set a post Cor. to Sec. 33 of 34, T. 6 N. R. 5 E, from which
 a Beech 10 in. dia. bear N 74 E 62 lks. dist. of
 a do. 12 " " " S 50 E 45 " "
 This mile over good farming land timber
 Beech & Hickory

Nest On S. boundary of Sec. 33, T. 6 N. R. 5 E.
 9.60 a Beech 20 in. dia.
 40.00 Set the q. Sec. post, from which
 a Dogwood 6 in. dia. bear N 80 E 39 lks. dist. of
 a Beech 10 " " " S 42 N 17 " "
 80.00 Set a post Cor. to Sec. 32 of 33, T. 6 N. R. 5 E, from which
 a Beech 10 in. dia. bear N 71 E 10 lks. dist. of
 a W. Ash 12 " " " S 52 N 28 " "
 Sand timber &c. same as on the last mile

Nest On S. boundary of Sec. 32, T. 6 N. R. 5 E
 20.25 a Spring run 10 lks. wide Course North
 40.00 Set the q. Sec. post, from which
 + { a Dogwood 6 in. dia. bear S 41 W 8 lks. dist. of
 a Sassafras 6 " " " S 80 E 21 " "
 62.20 Intersected Indian boundary line Set post from which
 a P. Oak 48 in. dia. bear S 25 W 13 1/2 lks. dist. of
 a Beech 20 " " " S 45 E 34 " "
 80.00 Set a post Cor. to Sec. 31 of 32, T. 6 N. R. 5 E, from which
 an Ironwood 6 in. dia. bear N 50 E 12 lks. dist. of
 a Dogw. 6 " " " N 51 W 9 " "
 x Note - New Bearings were taken at q. Sec. corner

T5 N R5 E. Mer. Indiana

which are the following
 { a Logwood 6 in. dia. beam S78 E 12.30 lks. dist. of
 a Sassafras 8 " " " N48 E 12 " "
 This mile over rich broken land timber Poplar
 Oak and Hickory

West On S. boundary of Sec. 31, T6 N, R25 E
 9.70 a Spring run 6 lks. wide Course N.
 40.00 Set the q. Sec. post, from which
 a P. Oak 20 in. dia. beam S86 E 55 lks. dist. of
 a W. Ash 30 " " " N65 E 34 " "
 62.00 to a large lick, some appearance of Iron ore
 89.91 Intersected the post Corner to Township N. 5 of
 6 North, Range N. 4 of 5 E
 Sand Hilly, timber Oak, Beech, Hickory &c.

West Boundary
 North On E. boundary of Sec. 36, T5 N, R4 E.
 14.00 a Brook 10 lks. wide Course S. E.
 40.00 Set the q. Sec. post, from which
 a Hickory 8 in. dia. beam S19 N 22 lks. dist. of
 a Beech 10 " " " S62 E 28 " "
 45.80 a Beech 12 " " "
 52.50 a Brook 10 lks. wide Course S. E.
 80.00 Set a post Corner to Sec. 25, 36, T5 N, R4 E. from which
 a Beech 20 in. dia. beam S44 N 16 1/2 lks. dist. of
 a do. 6 " " " N22 W 15 " "
 This mile over level Beech timbered land

North On E. boundary of Sec. 25, T5 N, R4 E.
 40.00 Set the q. Sec. post, from which
 a Logwood 5 in. dia. beam N2 N 10 lks. dist. of
 an Ironwood 6 " " " S17 N 34 " "

T5 N R5 E, T^o. Mer. Indiana

42.00 a Brook 10 lks. wide Course S. E.
 44.10 a P. Oak 20 in. dia.
 80.00 Set a post Cor. to Sec. 24 & 25, T5 N, R4 E. from which
 a W. Oak 15 in. dia. bear S 34 E 15 lks. dist. of
 a Maple 15 " " " N 32 E 31 " "
 This mile over thin broken brushy Oak timbered
 land undg. Office

North On E. boundary of Sec. 24, T5 N, R4 E.
 40.00 Set thro' g. Sec. post, from which
 a Beech 6 in. dia. bear S 85 E 7 lks. dist. of
 adlogwood 5 " " " N 17 W 18 " "
 50.00 a Brook 15 lks. wide Course West
 56.75 a Beech 20 in. dia.
 80.00 Set a post Cor. to Sec. 13 & 24, T5 N, R4 E. from which
 a W. Oak 8 in. dia. bear S 64 W 16 lks. dist. of
 a Do. 14 " " " N 34 1/2 E 18 " "
 Sand timber of c. same as on the last mile

North On E. boundary of Sec. 13, T5 N, R4 E
 20.00 a Brook 12 lks. wide Course West
 24.04 a P. Oak 20 in. dia.
 40.00 Set thro' g. Sec. post, from which
 a W. Ash 12 in. dia. bear S 47 W 11 lks. dist. of
 a Do. 24 " " " N 47 E 18 " "
 46.00 a Brook 15 lks. wide Course W.
 80.00 Set a post Cor. to Sec. 12 & 13, T5 N, R4 E. from which
 a Beech 10 in. dia. bear S 14 W 23 lks. dist. of
 a Do 10 " " " N 22 W 22 " "
 Sand rolling, Beech, Oak, Ash &c

North On E. boundary of Sec. 12, T5 N, R4 E.
 25.50 a Spring run 10 lks. wide Course West

T5 N. R5 E. Mer. Indiana

- 40.00 Set the q. Sec. post, from which
a Beech 20 mi. dia. bear S80 E 8 lks. dist. of
a Sugar 5 " " " N20 W 8 " "
- 69.90 Intersected the Indian boundary line, set post, from which
a Beech 20 mi. dia. bear S39 W 20 lks. dist. of
a Do. 6 " " " N34 W 6 " "
- September 1st 1806
- 80.00 Set a post cor. to Sect. 1 & 12, T5 N. R4 E. from which
a Beech 12 mi. dia. bear S46 W 6 lks. dist. of
a Do. 6 " " " N63 E 14 " "
- Rich level land Beech, Sugar etc.

North On E. boundary of Sec. 1, T5 N. R4 E.

- 40.00 Set the q. Sec. post cor. from which
a Sugar 10 mi. dia. bear S15 E 37 lks. dist. of
a Do. 10 " " " N67 E 27 " "
- 67.07 Set a post cor. to Township, N. 5, 6 North, of
Range, N. 4 & 5 E, from which
a Beech 20 mi. dia. bear N32 W 13 lks. dist. of
a Do 9 " " " S53 W 13 " "
- Over rich land, timber Beech, Ash etc.
Surveyed in 1806 by Arthur Hennis, D.S.

Subdivision Nov. 25th 1806

North Between Sec. 35 & 36, T5 N. R5 E.

- 21.10 a Gum 24 mi. dia.
- 40.00 Set the q. Sec. post, from which
a Beech 10 mi. dia. bear S53 E 20 lks. dist. of
a Do. 10 " " " N71 W 34 " "
- 59.20 a Beech 18 " "
- 80.00 Set a post cor. to Sec. 25, 26, 35 & 36, from which
a Beech 10 mi. dia. bear East 26 lks. dist. of
a Hickory 8 " " " West 14 " "

T5N R5E 2^d. Mer. Indiana

Land level, good soil, timber Beech Oak &c.
a Rainy day.

East On Rand^m. between Sec. 25 & 36, T5N. R5E

40.00 Let temp^y. of Sec. post

67.50 Cross a run 45 lks. wide Cr. S. fine running stream

78.67 Intersected the E. boundary 236 lks. N. of post
Low level post land, timber Ash, Elm & Beech

West Connected between Sec. 25 & 36

39.33¹/₂ let of Sec. post, at average dist. from which
a Beech 10 in. dia. bear N60¹/₂ W 25 lks. dist. of
a do. 14 " " " S7E 24 " "

78.67 to Sec. Corner

North Between Sec. 25 & 26, T5N. R5E.

20.14 a Hickory 40 in dia.

40.00 Let the of Sec. post from which
a Beech 12 in. dia. bear S80¹/₂ E 35 lks. dist. of
a do 10 " " " S81¹/₂ W 17 " "

54.50 a Beech 26 " "

55.00 a run 8 lks. wide Course S. E.

61.50 a do 20 " " " S10E.

80.00 Let a post Cor. to Sec. 23, 24, 25 & 26, from which
a Gum 18 in. dia. bear S89¹/₂ W 21 lks. dist. of
a do 18 " " " N14¹/₂ E 30 " "

Land level rich, timber Beech, Sugar, ash
&c. undergth. Spruce & birch

East Between Sec. 24 & 25 on Rand^m. run 3.30'

36.00 a run 25 lks. wide Course S. E.

40.00 Let temp^y. of Sec. post

78.55 Intersected the E. boundary 250 lks. N. of post

T5 N. R5 E. T. Mer. Indiana

Land (most part, 1st rate, timber Ash, Beech &c

West Connected between Sec. 24 & 25, T5 N. R5 E.
 39.27¹/₂ set of Sec. post at average dist. from which
 a Poplar 48 in. dia. bears N46¹/₂ W 20 lbs. dist. of
 a W. Oak 18 " " " S10 E 19 " "
 78.55 to Sec. Corner

North Between Sec. 23 & 24, T5 N. R5 E.

25.65 a Y. Oak 36 in. dia.

40.00 set the of. Sec. post, from which
 a Beech 11 in. dia. bears N40¹/₂ W 55 lbs. dist. of
 a do 14 " " " S19 E 10 " "

51.96 a W. Oak 36 " "

80.00 set a post Cor. to Sec. 13, 14, 23 & 24, from which
 a Beech 30 in. dia. bears N51¹/₂ W 10 lbs. dist. of
 a do. 9 " " " S46 E 56 " "
 Land level &c. timber Beech &c. undg. Spruce &c.

East On Rand^m. between Sec. 13 & 24, T5 N. R5 E.

40.00 set temp. of. Sec. post — no variation

42.00 a run 20 lbs. wide Course S.

78.65 Intersected the E. boundary 220 lbs. S. of post
 Land timber &c. (much as last mile)

West Connected between Sec. 13 & 24, T5 N. R5 E.

39.32¹/₂ set of. Sec. post, from which (at average dist.)
 an Ash 14 in. dia. bears N88 E 20 lbs. dist. of
 a Maple 16 " " " S84 W 16 " "

78.65 to Sec. Corner

North Between Sec 13 & 14, T5 N. R5 E

8.00 a run 6 lbs. wide Course East

T5N-R5E, 2nd Mer. Indiana

- 16.50 a Beech 10 mi. dist.
 40.00 Set the q^r. Sec. post, from which
 a Hickory 16 mi. dist. bear S38°E 31 lks. dist. of
 a Gum 16 " " " N40°W 12 " "
 77.40 a Beech 16 " "
 80.00 Set a post Cor. to Sec. 11, 12, 13 & 14, from which
 a Beech 16 mi. dist. bear N83°E 11 lks. dist. of
 a Gum 16 " " " N55°W 40 " "
 Land timber &c. Same as on the last mile

- East On Rand^m. between Sec. 12 & 13 ran. 1.15.
 40.00 Set temp^y. q^r. Sec. post
 45.00 to edge of Swamp appears to be extensive to the N.
 47.50 a run 6 lks. wide Course South
 57.50 leave the Swamp
 78.50 Intersected the E. boundary 126 lks. S. of post
 Land 1st. $\frac{1}{2}$ mile same as last 2nd. $\frac{1}{2}$ $\frac{1}{2}$ rate
 large Poplar, Ash, Chestnut &c.

- West Corrected between Sec. 12 & 13, T5N-R5E
 39.25 Set q^r. Sec. post at average dist. from which
 a Beech 11 mi. dist. bear N57°W 9 lks. dist. of
 a do. 16 " " " S21°E 21 " "
 78.50 to Sec. Corner.

- North Between Sec. 11 & 12, T5N-R5E
 14.27 a Poplar 40 mi. dist.
 40.00 Set the q^r. Sec. post, from which
 a Beech 16 mi. dist. bear N66°E 25 lks. dist. of
 a Gum 9 " " " S40°W 11 " "
 52.00 a run 10 lks. wide Course E.
 52.50 a Beech 18 mi. dist.
 80.00 Set a post Cor. to Sec. 1, 2, 11 & 12, from which

T5N R5E, T. Mer. Indiana

a Beech 16 in. dia. bear S40°W 6 lks. dist. of
 a Do. 16 " " " N19°E 40 " "
 Land good soil, timber Beech, Oak, Ash, Gum &c.

East On Rand^m. between Sec. 14 & 12, T5N, R5E.
 40.00 Let temp^y. of Sec. post var. 2.15'
 42.00 to a Swamp 500 lks. wide
 45.50 a run 15 lks. wide Cr. S. fine Current
 78.00 Intersected the E. boundary 8 lks. S. of post
 Level wet land Oak & Maple timber

West Corrected between Sec. 14 & 12
 39.00 Let of Sec. post at average dist. from which
 a Hickory 18 in. dia. bear S70°W 6 lks. dist. of
 a Beech 8 " " " N76°E 7 " "
 78.00 to Sec. Corner

North Between Sec. 14 & 2, T5N, R5E.
 18.18 a Beech 18 in. dia.
 40.00 Let the of Sec. post, from which
 a Hickory 14 in. dia. bear N30°E 7 lks. dist. of
 a R. Oak 12 " " " West 23 " "
 51.27 a Beech 18 " "
 72.62 Intersected the N. boundary 186 lks. E. of post
 Let a post Cor. to Sec. 14 & 2, from which
 a Beech 11 in. dia. bear S50°E 30 lks. dist. of
 a Do. 16 " " " S27°W 29 " "
 Land timber &c. Same as on the last mile

North Between Sec. 34 & 35, T5N, R5E.
 22.95 a Beech 18 in. dia.
 40.00 4 Maples 6 in. dia. of Sec. Corner trees in Swamp
 80.00 Let a post Cor. to Sec. 26, 27, 34 & 35, from which

T5 N. R5 E. 2nd Mer. Indiana

a Gum 16 in. dia. beam N60 E 17 lbs. dist. of
 a Beech 18 " " " S82 W 30 " "
 Sand level & rich, timber Beech & Sugarfe.

East On Rand. between Sec. 26 & 35, T5 N. R5 E

40.00 Set temp. of Sec. post

79.15 Intersected the N of S. line 10 lbs. N. of post
 (description of Land &c. omitted)

West Corrected between Sec. 26 & 35

39.57 1/2 Set of Sec. post at average dist. from which

a Gum 28 in. dia. beam S46 E 25 lbs. dist. of

a Beech 24 " " " N71 W 17 " "

79.15 to Sec. Corner

North Between Sec. 26 & 27, T5 N. R5 E.

12.70 a run - lbs. wide Course -

18.18 a Beech 18 in. dia.

40.00 Set the of Sec. post, from which

a Maple 24 in. dia. beam S50 E 12 lbs. dist. of

a Beech 11 " " " N47 W 42 " "

65.88 a Hickory 20 " "

80.00 Set a post Cor. to Sec. 22, 23, 26 & 27, from which

a Beech 18 in. dia. beam S65 W 14 lbs. dist. of

a do. 14 " " " N47 E 38 " "

Sand timber &c. same as on the last mile

West On Rand. between Sec. 23 & 26, T5 N. R5 E

1.00 a run 25 lbs. wide Cr. South

40.00 Set temp. of Sec. post

78.80 Intersected the N of S. line 40 lbs. N. of post

Sand rich with soil, timber a last mile

T5 N. R5 E. 2^d Mer. Indiana

East Corrected between Sec. 23 of 26
 39.40 Let q. Sec. post, from which (at average dist.) from
 which a Beech 18 in. dia. is (marked for q. Sec. Cor.
 78.87 to Sec. Corner. Thursday 27th Nov. 1806

North Between Sec. 22 of 23, T5 N. R5 E.
 25.54 a Beech 16 in. dia. North 5.00 is a Swamp
 40.00 Let thro q. Sec. post, from which
 a Beech 26 in. dia. bears S 12 E 20 lks. dist. of
 a Do. 18 " " " N 53 W 30 " "
 50.50 a Run 30 lks. wide Course S. E.
 57.24 a Beech 10 in. dia.
 80.00 Let a post Cor. to Sec. 14, 15, 22 of 23, from which
 a Beech 26 in. dia. bears S 67 E 20 lks. dist. of
 a Do. 16 " " " N 58 W 20 " "
 Land rich & level, timber Beech, ash, Oak &c.
 Bushy Spice, Brier &c.

West On Rand^m between Sec. 14 of 23, T5 N. R5 E.
 40.00 Let temp. q. Sec. post
 78.10 Intersected the N & S. line 30 lks. S. of post
 Land thin wet soil, timber Beech, Elm &c. brier &c.

East Corrected between Sec. 14 of 23
 39.05 Let q. Sec. post at average dist. from which
 a Beech 16 in. dia. bears N 87 W 12 lks. dist. of
 a Do. 16 " " " N 88 E 18 " "
 78.10 to Sec. Corner. Friday 28th Novem. 1806

North Between Sec. 14 of 15, T5 N. R5 E.
 20.40 a Beech - in. dia.
 40.00 Let thro q. Sec. post, from which
 a P. Oak 60 in. dia. bears S 63 E 40 lks. dist. of

T5 N. R5 E 2, Mer. Indiana

- a Gum 26 in. diam. bran N75W37 lbs. dist. of
 52.00 S. Oak 36 " " "
 80.00 Set a post Cor. to Sec. 10, 11, 14, 15, from which
 a Gum 9 in. diam. bran S26E15 lbs. dist. of
 an Elm 14 " " " N16W6 " "
 Sand timber &c. Same as on the last mile
-
- East On Rand^m. between Sec. 11 & 14, T5 N. R5 E
 40.00 Set temp^y of Sec. post
 79.02 Intersected ^{the S. & P. line} 25 lbs. N. of post
 Sand timber &c. Same as on the last mile
-
- West Corrected between Sec. 11 & 14
 39.51 Set of. Sec. post at average dist. from which
 a Beech 36 in. diam. bran N27E18 lbs. dist. of
 an Ash 14 " " " S64W35 " "
 79.02 to Sec. Corner.
-
- North Between Sec. 10 & 11, T5 N. R5 E.
 17.89 a R. Oak 14 in. diam.
 40.00 Set the of. Sec. post, from which
 a Beech 16 in. diam. bran East 3 lbs. dist. of
 a Gum 30 " " " N41W37 " "
 54.85 a W. Oak 50 " "
 80.00 Set a post Cor. to Sec. 2, 3, 10 & 11, from which
 a R. Oak 20 in. diam. bran S23E44 lbs. dist. of
 a Hickory 6 " " " N23W29 " "
 Land good soil, timber Oak, Beech, Ash &c.
-
- East On Rand^m. between Sec. 2 & 11, T5 N. R5 E.
 40.00 Set temp^y of. Sec. post.
 77.10 a gum 8 lbs. wide Course S.
 79.10 Intersected the N of S. line 8 lbs. S. of post

T5 N. R5 E. 2^d Mer. Indiana

Land level, timber Beech, Oak, Ash &c.

West Corrected between Sec. 2 of 11

- 39.55 Set up Sec. post at average dist. from which
 a Beech 7 in. dia. bears S65W 2 1/2 lks. dist. of
 a Do. 12 " " " N54E 30 " "
 79.10 to Sec. Corner
-

North Between Sec. 2 of 3, T5 N. R5 E.

- 16.68 a Hickory 18 in. dia.
 40.50 Set the up. Sec. post, from which
 a W. Oak 50 in. dia. bears S38E 15 lks. dist. of
 a Hickory 10 " " " N44W 25 " "
 62.00 a Hickory 20 " "
 69.50 Intersected the N. boundary 22 1/2 lks. E. of post
 Set a post Cor. to Sec. 2 of 3, from which
 a Beech 16 in. dia. bears S49E 31 lks. dist. of
 a Hickory 20 " " " S52W 38 " "
 Land level, Timber Oak, Hickory &c. birch &c.
-

North Between Sec. 33 of 34, T5 N. R5 E

- 3.45 a Poplar 60 in. dia.
 39.90 a Do 20 " "
 40.50 Set the up. Sec. post, from which
 a Beech 12 in. dia. bears N53E 22 lks. dist. of
 a Hickory 8 " " " S48W 9 " "
 40.25 a run 10 lks. wide Course E.
 52.34 an Ash 14 in. dia.
 72.25 a run 4 lks. wide Course W.
 80.50 Set a post Cor. to Sec. 27, 28, 33 of 34, from which
 a Maple 14 in. dia. bears N32W 21 lks. dist. of
 a Hickory 10 " " " S69E 24 " "
 Land level of rich, timber Beech, Hickory, Oak &c.
-

East On Rand. between Sec. 27 of 34, T5 N. R5 W

- 27.50 a run 25 lks. wide Course South

S. N. R. S. E. 2^d. Mer. Indiana

40.00 Set temp^y. of Sec. post,
 79.40 Intersected the N & S. line 10 lbs. N. of post
 (description of Land &c. Omitted)

West Corrected between Sec. 27 & 34
 39.70 Set of Sec. post at average dist. from which
 a Beech 11 in. dia. beam N 31 W 36 lbs. dist. of
 an Ash 18 " " " N 5 E 30 " "
 79.40 to Sec. Corner. Nov. 25. 1806

North & Between Sec. 27 & 28, S. N. R. S. E.
 20.14 a W. Oak 36 in. dia.
 40.00 Set the of Sec. post, from which
 an Elm 10 in. dia. beam N 40 E 15 lbs. dist. of
 a Hickory - " " " S 55 W 15 " "
 66.34 a Beech 18 " "
 80.00 a Beech 10 in. dia. Cor. to Sec. 21, 22, 27 & 28
 Land timber &c. same as on the last mile

West On Rand^m. between Sec. 22 & 27, S. N. R. S. E.
 40.00 Set temp^y. of Sec. post
 79.60 Intersected the N & S. line 85 lbs. N. of post
 Land timber &c. same as on the last mile

East Corrected between Sec. 22 & 27
 39.80 Set of Sec. post at average dist. from which
 a Beech 18 in. dia. beam N 15 E 10 lbs. dist. of
 a Do. 16 " " " S 35 W 14 " "
 79.60 to Sec. Corner November 27th. 1806.

Monday December 1st. 1806
 North & Between Sec. 21 & 22, S. N. R. S. E.
 24.17 a Maple 14 in. dia.
 40.00 Set the of Sec. post, from which
 a Beech 14 in. dia. beam N 8 E 33 lbs. dist. of
 a Do. 16 " " " S 33 W 25 " "

T5 N. R5 E. T. Mer. Indiana

- 73.25 a Beech 24 in. dia.
 80.00 Set a post Cor. to Sec. 15, 16, 21 & 22, from which
 a Beech 11 in. dia. bear S 39 E 21 lbs. dist. of
 a Hickory 16 " " " S 63 W " "
 Land thin Soil, timber Beech & Hickory some fallen.
-

- West On Rand. betw. Sec. 15 & 22, T5 N. R5 E.
 8.50 a run 8 lbs. wide Course S.
 13.50 a do 20 " " " S. E.
 15.75 a do. — " " " North
 19.50 a do 20 " " " —
 40.00 Set temp. of Sec. post
 60.00 a run 15 lbs. wide Course S.
 62.60 a do — " " " N. E.
 80.74 Intersected the N of S. line 34 lbs. N. of post
 Land very brushy & briery, timber Beech Oak &c.
-

- East Corrected between Sec. 15 & 22
 40.37 Set of Sec. post at average dist. from which
 a W. Oak 16 in. dia. bear S 42 E 7 lbs. dist. of
 a Dogwood 5 " " " N 19 W 21 " "
 80.74 to Sec. Corner
-

- North Between Sec. 15 & 16, T5 N. R5 E.
 22.89 a Beech 12 in. dia.
 40.00 Set the of Sec. post, from which
 a Beech 10 in. dia. bear S 86 W 21 lbs. dist. of
 a P. Oak 26 " " " S 81 E. 32 " "
 50.26 a P. Oak 36 " "
 80.00 Set a post Cor. to Sec. 9, 10, 15 & 16, from which
 a Beech 10 in. dia. bear N 32 W 45 lbs. dist. of
 a do. 20 " " " N 37 W 19 " "
 Land much the same as last mile
-

- East On Rand. between Sec. 10 & 15, T5 N. R5 E.
 5.00 a run 25 lbs. wide Course S. E.

T5 N. R5 E. 2^d Mer. Michigan

6.50 a run 25 lks. wide Course N. E.
 9.00 a do. 25 " " " S. E.
 19.00 a do 6 " " " South
 40.00 Set temp^y. of Sec. post
 56.00 a run 4 lks. wide Course N10 W
 79.71 to N of S. line 40 lks. South of post
 Land thin Soil, timber Beech, Oak &c. level

West Corrected between Sec. 10 & 15
 39.85² set a post for of. Sec. Cor. at average dist. from which
 a Beech 11 in. dia. beam N46 E 8 lks. dist. of
 a do — " " " N22 W 39 " "
 79.71 to Sec. Corner

North Between Sec. 9 & 10, T5 N. R5 E.
 1.50 a run 20 lks. wide Course E.
 40.00 Set thro of. Sec. post, from which
 a Beech 11 in. dia. beam N13 E 37 lks. dist. of
 a do. 12 " " " N76 W 25 " "
 55.94 a Beech 12 " " "
 80.00 Set a post Cor. to Sec. 3, 4, 9, 10, from which
 a Beech 10 in. dia. beam N70 W 15 lks. dist. of
 a Gum 9 " " " S69 E 20 " "
 Land thin Soil, timber Oak, Beech &c

East On Rand^m. betw^m. Sec. 3 & 10, T5 N. R5 E.
 40.00 Set temp^y. of. Sec. post
 80.32 Intersected the N of S. line 32 lks. N. of post
 Land level thin, timber N. Oak, brush &c.

West Corrected between Sec. 3 & 10
 40.16 Set of. Sec. post at average dist. from which
 a Gum 11 in. dia. beam S85 E 15 lks. dist. of
 a B. Oak 3 " " " N81 E 21 " "
 80.32 to Sec. Corner. Dec. 2^d 1806

T5 N. R5 E. T. Mer. Indiana

North Between Sec. 3 of 4, T5 N. R5 E.

5.86 a W. Oak 40 mi. dist.

40.00 Set the q. Sec. post, from which

a Hickory 12 in. diam. bran N 42° W 17 lbs. dist. of

a Beech 8 " " " S 78° E 20 " "

49.80 a W. Oak 18 " "

63.88 Intersected the N. boundary 134 lbs. E. of post

Set a post Cor. to Sec. 3 of 4 from which

a W. Oak 18 in. diam. bran N 44° W 12 lbs. dist. of

a Do. 12 " " " S 30° E 29 " "

Sand rolling thin soil, timber Oak &c.

Wednesday November 26th 1876.

North Between Sec. 32 of 33, T5 N. R5 E.

7.25 a run 10 lbs. wide Course S. E.

9.00 a Do. 10 " " " S. W.

10.50 a Do. 10 " " " S. E.

13.00 a Do. 10 " " " S. W.

16.00 a Do. " " " S. E.

17.50 a Do. " " " S. W.

20.50 a Hickory 48 in. diam.

38.50 a run 10 lbs. wide Course S. E.

40.00 Set the q. Sec. post, from which

a Maple 10 in. diam. bran S 75° E 31 lbs. dist. of

a Do. 36 " " " N 65° W 36 " "

57.24 a Beech 36 " "

80.00 a Beech 14 in. diam. Cor. to Sec. 28, 29, 32 of 33

Sand level rich soil, timber Beech, Birch, Sug. &c.

East On Rand. between Sec. 28 of 33, T5 N. R5 E.

40.00 Set temp. q. Sec. post in run 6 lbs. wide C. S.

58.50 a run 10 lbs. wide Course S.

78.90 Intersected the N. of S. line 100 lbs. S. of the post

Sand timber &c. Same as on the last mile

Next Cor. between Sec. 28 of 33

T5 N. R5 E. 2^d. Mer. Indiana

39.45 Set of. Sec. post at average dist. from which
 a Beech 12 mi. dist. by a S 71° 28' E 22 lbs. dist. of
 a Ho. 16 " " " N 77° E 22 " "
 78.90 to Sec. Corner. Saturday Nov. 29th. 1806

North Between Secs. 28 & 29, T5 N. R5 E.

19.11 at Beech 30 mi. dist.

40.00 Set thro' of. Sec. post, from which
 a Beech 14 mi. dist. by a S 71° 28' E 22 lbs. dist. of
 a Ho. 28 " " " N 66° E 22 " "

63.11 an Ash 14 " "

76.50 a run 10 lbs. wide Course S 10° W

80.00 Set a post cor. to Secs. 20, 21, 28 & 29, from which
 a W. Oak 48 mi. dist. by a S 84° 11' 41" E 41 lbs. dist. of
 a Ho. 14 " " " S 53° E 55 " "
 Sand thin Soil, timber Oak, Beech &c.

Sunday November 30th. 1806.

West On Rand^m between Secs. 21 & 28, T5 N. R5 E.

32.00 a run 4 lbs. wide Course S 10° W

40.00 Set temp. of. Sec. post

74.15 a run 3 lbs. wide Course S.

79.50 Intersected the N of S. line at the post

Sand ridgy, timber Beech, Oak &c. briars &c.

East Corrected between Secs. 21 & 28

39.75 Set of. Sec. post. at average dist. from which
 a Beech 18 mi. dist. by a S 29° E 6 lbs. dist. of
 a Ho. 11 " " " N 87° W 24 " "

79.50 to Sec. Corner.

North Between Secs. 20 & 21, T5 N. R5 E.

13.00 a W. Oak 18 mi. dist.

40.00 Set thro' of. Sec. post, from which
 a C. Oak 14 mi. dist. by a S 32° E 28 lbs. dist. of
 a W. Oak 10 " " " N 11° W 22 " "

T5 N. R5 E. Mer. Indiana

- 52.88 at P. Oak 18 mi. dist.
- 59.50 a Run 6 lks. wide Course N.E.
- 80.00 Set a post in Knob, Cor. to Sec. 16, 17, 20 & 21, from which
 a Beech 8 mi. dist. bearing N 49° W 14 lks. dist. of
 an Iron^o. 6 " " " S 78° E 11 " "
 Poor brushy Knob, timber Chesnut, P & W. Oak

- West On Rand^m between Sec. 16 & 21, T5 N. R5 E**
- 14.50 a Run 20 lks. wide Course S.E. cross it several times
 - 33.50 a do 20 " " " S.E.
 - 40.00 Set temp^y. of Sec. post
 - 78.86 Intersected the N of S. line 29 lks. N. of post
 Sand hilly brushy, Timber Oak &c.

- East Corrected between Sec. 16 & 21**
- 39.43 Set of. Sec. post, from which (at average dist.)
 at P. Oak 16 mi. dist. bearing S 83° W 25 lks. dist. of
 a W. Oak 16 " " " N 46° W " "
 78.86 to Sec. Corner. Wednesday Dec. 3^d. 1886

- North Between Sec. 16 & 17, T5 N. R5 E.**
- 16.85 a Poplar 24 mi. dist.
 - 20.50 a Run 20 lks. wide Course E.
 - 36.50 a do. 15 " " " S.E.
 - 40.00 Set this of. Sec. post, from which
 a Dogwood 5 mi. dist. bearing N 25° E 3 lks. dist. of
 a do. 3 " " " S 49° W 30 " "
 - 60.08 a Sugar 14 " "
 - 80.00 Set a post Cor. to Sec. 8, 9, 16 & 17, from which
 a Beech 12 mi. dist. bearing S 87° E 10 lks. dist. of
 a W. Oak 36 " " " N 80° W 36 " "
 Sand hilly, timber Oak, Beech &c. brushy

- East On Rand. between Sec. 9 & 16, T5 N. R5 E**
- 24.26 a Run 15 lks. wide Course N.E.
 - 40.00 Set temp^y. of Sec. post.

T5 N. R5 E. T. Mer. Indiana

79.26 Intersected the N & S. line at the post
 Land rich timber Beech, Oak &c
 This day the Snow fell 5 inches deep lay by
 December 4th 1806.

West Corrected between Sec. 9 & 16

39.63 Set of Sec. post at average dist. from which
 a Beech 24 mi. dist. bearing $S 70^{\circ} E 30$ lbs. dist. of
 a Do. 12 " " " " $N 16^{\circ} W 10$ " " "
 79.26 to Sec. Corner. Dec. 5th 1806

North Between Sec. 8 & 9, T5 N. R5 E.

5.50 a run 4 lbs. wide Course N. E.
 13.50 a Do. 10 " " " East dry
 19.19 a R. Oak 24 mi. dist.
 40.00 Set the of Sec. post, from which
 a Beech 9 mi. dist. bearing $N 39^{\circ} E 17$ lbs. dist. of
 a Do. 26 " " " " $S 21^{\circ} W 16$ " " "
 54.00 a run 15 lbs. wide Course S. E.
 55.00 a Do 10 " " " South
 55.50 a Do — " " " S. E.
 58.75 a R. Oak 24 mi. dist.
 80.00 Set a post Cor. to Sec. 4, 5, 8 & 9, from which
 a Beech 16 mi. dist. bearing $S 33^{\circ} E 31$ lbs. dist. of
 a Do. 14 " " " " $N 22^{\circ} W 25$ " " "
 Land hilly good Soil, timber Oak, Beech &c. briar &c

East On Rand. between Sec. 4 & 9, T5 N. R5 E.

16.50 a run 6 lbs. wide Course S. E.
 32.00 a do. 5 " " " S. E.
 65.00 a do 10 " " " S. E.
 79.00 Intersected the N of S. line 26 lbs. N. of post
 Land good Soil, timber Beech &c. briar &c.

West Corrected between Sec. 4 & 9

39.50 Set of Sec. post at average dist. from which

T5 N. R5 E. 2nd Mer. Indiana

373

a Beech 26 in. diam. bran N45W8 lks. dist. of
 a Do. 16 " " " " N43E44 " "
 79.00 to Sec. Corner.

North Between Sect. 4 & 5, T5 N. R5 E.

19.27 a W. Oak 60 in. diam.
 40.00 Let thro' of Sec. post, from which
 a Beech 6 in. diam. bran N50W12 lks. dist. of
 an Ash 8 " " " " N56E10 " "
 61.00 Intersected the N. boundary 17 lks. E. of post
 Let a post Cor. to Sect. 4 & 5, from which
 a Beech 30 in. diam. bran N6E15 lks. dist. of
 a W. Oak 48 " " " " N44W51 " "
 Land hilly timber Oak, Beech &c.

North Between Sect. 31 & 32, T5 N. R5 E.

15.37 a Beech 16 in. diam.
 40.00 Let thro' of Sec. post, from which
 a Gum - in. diam. bran N59W10 lks. dist. of
 a Maple 15 " " " " N22W22 " "
 56.77 a Gum 20 " " "
 80.00 Let a post Cor. to Sect. 29, 30, 31 & 32, from which
 a S. Oak 57 in. diam. bran N6E17 lks. dist. of
 a Beech 18 " " " " N19W17 " "
 Land level & wet soil Timber Beech, Oak, Gum &c

West Between Sect. 30 & 31, T5 N. R5 E.

24.13 a Beech 16 in. diam.
 28.75 a run 15 lks. wide Course S.
 40.00 Let thro' of Sec. post, from which
 a Beech 12 in. diam. bran N50E36 lks. dist. of
 a Do. 14 " " " " N47W14 " "
 61.55 a R. Oak 24 " " "
 62.50 a run 25 lks. wide Course S.
 87.40 Intersected the W. boundary 19 lks. S. of post
 Let a post Cor. to Sect. 30 & 31, from which

T5 N R5 E, 2nd Mer. Indiana

a Run 10 in. dia. beam S86E 31 lbs. dist. of
 a Beech 18 " " " N58E 31 " "
 Rich ascending land, timber Beech, ash, Oak, Gum etc

East On Rand. betw^m Secs. 29 & 32, T5 N, R5 E,
 20.00 a run 6 lbs. wide Course S.
 24.00 a do. 10 " " " S.
 40.00 Set temp. of. Sec. post
 51.19 a run 15 lbs. wide Course S.
 51.69 a do 15 " " " N.
 52.19 a do 6 " " " S.
 54.69 a do 12 " " " S.
 56.19 a do — " " " —
 56.60 a do — " " " —
 79.69 Intersected the N of S. line 100 lbs. S. of post
 Land level timber Beech etc.

West Corrected between Secs. 29 & 32
 39.84¹/₂ Set of. Sec. post at average dist. from which
 a Beech 6 in. dia. beam N82W 9 lbs. dist. of
 a do 9 " " " S39W 19 " "
 79.69 to Sec. Corner.

North Between Secs. 29 & 30, T5 N, R5 E.

21.17 a Poplar 18 in dia.
 22.50 a run 3 lbs. wide Course S. E.
 25.70 a run 4 " " " S. E.
 27.50 a run 6 " " " S. E.
 32.50 a run 6 " " " N. W.
 40.00 Set the of. Sec. post, from which
 a Sycamore 40 in. dia. beam S84E 40 lbs. dist. of
 a Beech 11 " " " S63W 38 " "
 46.20 a run 6 lbs. wide Course N. W.
 61.50 a Poplar 18 in. dia.
 61.60 a run 6 lbs. wide Course S. E.
 80.00 Set a post Cor. to Secs. 19, 20, 29 & 30, from which

S. N. R. 5 E. T. Mer. Indiana

375

a Beech 4 in. dia. bears N 79 W 17 lks. dist. 4
 a Do 16 " " " S 54 E 5 " "
 Land much as last mile

East On Prandon between Secs. 20 & 29. S. 5 N. R. 5 E
 32. 00 a run 15 lks. wide Course S.
 59. 59 a run 6 " " " S. dry
 40. 00 Set tempy. of Sec. post
 70. 00 a run 4 lks. wide Course S. dry
 79. 80 Intersected the N. & S. line 25 lks. S. of post
 Land good Soil rolling timber Beech &c.

West Corrected between Secs. 20 & 29.
 39. 90 Set of Sec. post at average dist. from which
 a W. Oak 36 in. dia. bears N 15 E 33 lks. dist. 4
 a Beech 16 " " " S 32 W 17 " "
 49. 80 to Section Corner

West Between Secs. 19 & 30. S. 5 N. R. 5 E.
 12. 75 a run 3 lks. wide Course S.
 14. 87 an Ash 18 in. dia.
 19. 00 a run 3 lks. wide Course S.
 23. 50 a run 4 " " " S. E
 33. 25 a run 3 " " " S. E.
 40. 00 Set the of Sec. post, from which
 a W. Oak 11 in. dia. bears S 45 E 9 lks. dist. 4
 a Beech 4 " " " N 58 W 14 " "
 52. 50 a run 3 lks. wide Course S.
 54. 20 a Poplar 24 in. dia.
 63. 50 a run 15 lks. wide Course S.
 87. 00 a run 4 " " " N.
 88. 50 Intersected the W. boundary 80 lks. S. of post
 Set a post Cor. to Secs. 19 & 30, from which
 a Beech 16 in. dia. bears S 56 E 21 lks. dist. 4
 a Maple 14 " " " N 59 E 55 " "
 Land thin poor knobs of Oak, under the Oak. &c.

T5N R5E. 2^d Mer. Indiana

- North Between Secs. 19 & 20, T5N. R5E.
 15.60 an Oak 30 in. dia.
 40.00 Set the q. Sec. post, from which
 an Ironwood 8 in. dia. bears S 22 E 11 lks. dist. 4
 a C. Oak 18 " " " N 34 W 30 " "
 42.00 wrap Water 3 lks. wide
 54.82 a W. Oak 10 in. dia.
 71.00 a run @ lks. wide Course W.
 73.50 a run 8 " " " W.
 80.00 Set a post Cor to Secs. 17, 18, 19 & 20, from which
 a B. Oak 36 in. dia. bears S 71 W 10 lks. dist. 4
 a Do. 36 " " " S 76 E 46 " "
 Land steep poor high knobs of Oak brushy &c.

- West On Random between Secs. 17 & 20, T5N. R5E.
 40.00 Set temp. q. Sec. post
 79.40 Intersected the N. & S. line at the post
 Land steep poor high hills

- East Corrected between Secs. 17 & 20.
 39.70 Set q. Sec. post, at average dist. from which
 a C. Oak 14 in. dia. bears N 85 E 61 lks. dist. 4
 a W. Oak 24 " " " S 80 W 65 " "
 79.40 to Section Corner

- West Corrected between Secs. 18 & 19, T5N. R5E.
 34.28 a C. Oak 26 in. dia.
 40.00 Set the q. Sec. post, from which
 a W. Oak 28 in. dia. bears N 25 E 25 lks. dist. 4
 a C. Oak 16 " " " S 45 W 40 " "
 45.50 a run 10 lks. wide Course S.
 60.44 a Beech 18 in. dia.
 88.50 Intersected the W. boundary 6.35 lks. N. of post
 Set a post Cor to Secs. 18 & 19, from which
 a W. Oak 10 in. dia. bears S 56 E 10 lks. dist. 4
 a Do. 8 " " " N 60 E 29 " "

T5N, R5E, 2nd Mer. Indiana

Land as last mile

North Between Sect. 17 & 18, T5N, R5E
 7.00 a run 3 lks. wide Course W
 15.27 a l. Oak 18 in dia.
 32.00 a run 4 lks. wide Course W
 40.00 Set the q. Sec. post, from which
 a W. Oak 16 in. dia. bears N 76 W 14 lks. dist. &
 a l. Oak 10 " " " S 71 E 50 " "
 56.90 a W. Oak 18 " "
 70.00 a run 4 lks. wide Course W.
 80.00 Set a post Corner to Sect. 7, 8, 17 & 18, from which
 a W. Oak 36 in. dia. bears N 57 W 32 lks. dist. &
 a Beech 6 " " " S 42 E 13 " "
 Land poor steep high knobs &c.

East On Random between Sect. 8 & 17, T5N, R5E
 40.00 Set temp. q. Sec. post
 79.35 Intersected the N & S. line 50 lks. N. of post
 Land hilly good soil Beech Oak &c.

West Corrected between Sect. 8 & 17, T5N, R5E.
 39.67² Set q. Sec. post, at average dist. from which
 a Beech 12 in. dia. bears N 40 E 6 lks. dist. &
 a Do 14 " " " S 65 W 21 " "
 77.35 to Section Corner

West Between Sect. 7 & 18, T5N, R5E.
 22.10 a W. Oak 10 in. dia.
 27.50 a run 6 lks. wide Course W.
 40.00 Set the q. Sec. post, from which
 a Beech 18 in. dia. bears N 50 E 11 lks. dist. &
 a W. Oak 15 " " " S 69 W 25 " "
 42.00 a run 6 lks. wide Course S. W.
 56.50 a Beech 18 in. dia.
 58.50 Intersected the W. boundary 12 lks. N. of post

T5 N R5 E T. Mer. Indiana

a Beech 18 in. dia. bears N 23 E 53 lks. dist. 4
 a No. 12 " " " S 41 E 53 " "
 Land as last mile

North Between Secs. 7 & 8, T5 N. R5 E.
 16.21 a W. Oak 26 in. dia.
 40.00 Set the q. Sec. post, from which
 a W. Oak 9 in. dia. bears N 20 E 10 lks. dist. 4
 a No. 14 " " " S 40 N 15 " "
 55.00 a run 4 lks. wide Course N.
 55.95 a Hickory 16 in. dia.
 80.00 Set a post Cor. to Secs. 5, 6, 7 & 8, from which
 a Beech 30 in. dia. bears N 35 E 11 lks. dist. 4
 a W. Oak 14 " " " N 46 N 18 " "
 Land Hilly Beech & Oak timber, Brushy

West On Random between Secs. 5 & 8, T5 N. R5 E.
 16.00 a run 10 lks. wide Course S. E. 1
 40.00 Set temp. q. Sec. post
 79.12 Intersected the N. & S. line 40 lks. N. of post
 Land Hilly timber Oak Beech &c.

East Corrected between Secs. 5 & 8, T5 N. R5 E.
 39.61 Set q. Sec. post, at average dist. from which
 a W. Oak 30 in. dia. bears S 34 E 12 lks. dist. 4
 a Beech 6 " " " N 21 N 19 " "
 79.12 to Section Corner

West Between Secs. 6 & 7, T5 N. R5 E.
 15.50 a run 6 lks. wide Course S. 20 N.
 17.57 a Beech 14 in. dia.
 24.00 a run 8 lks. wide Course S 40 N.
 25.50 a run 4 " " " S.
 40.00 Set the q. Sec. post, from which
 a Beech 6 in. dia. bears S 54 N 24 lks. dist. 4
 a No. 9 " " " N 4 E 40 " "

T5 N. R5 E. 5th. Mer. Indiana

- 69.64 a Beech 16 in. dia.
- 72.20 Intersected the Indian boundary set post, from which
a Beech 16 in. dia. bran N 71 W 46 lbs. dist. of
a No. 10 " " " S 69 E 57 " "
Land wet, Timber Beech &c.
- 89.60 Intersected the N. boundary 178 lbs. N. of post
set a post Cor. to Sec. 5 & 6, from which
a Beech 15 in. dia. bran N 73 E 23 lbs. dist. of
a W. Oak 15 " " " S 56 E 25 " "
Good farming land, timber, Beech, Oak,
Poplar &c.

North Between Sec. 5 & 6, T5 N. R5 E.

- 29.00 a run 6 lbs. wide Course N.
- 32.24 a Beech 12 in. dia.
- 40.00 set the q. Sec. post, from which
a W. Oak 40 in. dia. bran S 75 E 15 lbs. dist. of
a Beech 16 " " " S 89 W 12 " "
- 48.10 to Indian boundary set post, from which
a Beech 12 in. dia. bran S 20 E 26 lbs. dist. of
a No. 14 " " " S 65 W 59 " "
- 50.00 to a Spring N.W.
- 61.16 Intersected the N. boundary 61 lbs. E. of post
set a post Cor. to Sec. 5 & 6, from which
a Hickory 10 in. dia. bran S 35 E 9 lbs. dist. of
a Beech 10 " " " S 65 W 21 " "
Good farming land, timber Beech, Poplar
Oak &c. Dec. 4th 1876

Surveyed by Joseph H. Larnill, D.S.
North of boundary by Arthur Kennie, D.S.

I hereby Certify that the foregoing transcript of
of field notes of Township N. 5 N. Range N. 5 E.
T. 1 Mer. Indiana, has been Compared with the
Original notes in this Office, and found to be correct.
Surveyor General's Office
Cincinnati, Feb. 9. 1842

W. S. Rainey

Sur. Genl.